Mental health: In the mainstream

The European Mental Health Action Plan 2013

Tenerife June 2012 Dr Matt Muijen Programme manager mental health WHO Europe



Policy drivers 2012

- **1.** Population wellbeing, social determinants and inequality
- 2. Rights and recovery
 - **3.** Community mental health services
- **4.** Acceptable, effective and safe treatments
- 8. High mortality and co-morbidity
- 9. Partnerships and responsibilities
- **10.** Information and quality

8.



WHO Regional Office for Europe: Health2020

"Our vision is for a WHO European Region where all people are enabled and supported in achieving their full health potential and well-being and in which WHO Member States, individually and jointly, work towards reducing inequalities in health within the region and beyond."





DALYs in Europe

4

n

n

DALYs by causes	%
Cardiovascular diseases	22.9
Neuropsychiatric conditions	19.5
Malignant neoplasms	11.4
Unintentional injuries	9.6
Digestive diseases	4.9
Respiratory diseases	4.5
Intentional injuries	4.3
Sense organ diseases	4.1
Infectious and parasitic diseases	3.8
Musculoskeletal diseases	3.7
Respiratory infections	2.1
Perinatal conditions*	



The treatment gap Western Europe


- Psychosis: 17.8%
- Bipolar disorder: 39.9%
- Major depression: 45.4%
- Panic disorder: 47.2%
- Anxiety disorder: 62.3%
- Alcohol dependence: 92.4%

Source: Kohn 2004





DIVERSITY in EUROPE



Three reform waves





The Mental Health Declaration for Europe and the Mental Health Action Plan for Europe 2005

- Foster awareness
- Collectively tackle stigma, and empower and support people with mental health problems and their families
 - Design and implement mental health systems
 - Create a competent workforce
 - Recognize experience and knowledge of service users and carers



Scope European Mental Health Action Plan

 Improve the mental wellbeing of the population and reduce the burden of mental disorders, with a special focus on vulnerable groups, exposure to determinants and risk behaviours;



Respect the rights, address stigma and discrimination and offer equitable opportunities to people with mental health problems (including dementia and substance use disorders) to attain the highest quality of life;



Establish accessible, safe and effective services that meet people's mental, physical and social needs and the expectations of persons with mental health problems and their families.



Population wellbeing



Social gradient:

Smoking

- Alcohol
- Diet
- Obesity
- Exercise



Health Determinants

Determinants of wellbeing

- Employment
- Marital Status
- Ethnicity
- Relative income (status)
- Country



Social Determinants of Health



health services



A picture of the same woman – in institutional care, and after community care was provided








Unbundling and Integrating Care

Click to edit Master to Second level Third level Fourth level Fifth level


- Primary care
- Community services
- 24 hour care
- Specialist services
- General health care
- Social care



Total mental health beds per 100 000 population




Home treatment






Number of psychiatrists per 100 000 population




Number of nurses working in mental health care per 100 000 population

Λ




Number of psychiatrist in each WHO Region





Rate of psychiatrist per 100 000 population in each WHO Region



EUROPE

effective and safe treatments




Challenges



Efficiency of suicide prevention

Each \$100 additional social spending reduced suicide by:

- 0.38%: active labour market programmes
- 0.23%: family support
- 0.07%: healthcare
- 0.09%: unemployment benefits



Source: Stuckler et al 2009 *Lancet*




What are we talking about?

Wellbeing, mental wellbeing, mental health, mental distress, mental health problems, mental disorders, mental illness, psychiatric disorders, brain disorders, brain illness.

Mental health services, psychiatric services, brain illness services, etc.





Scope European Mental Health Strategy

- Improve mental wellbeing and prevent mental disorders
- Respect the rights and offer opportunities
- Establish safe and effective services
- Tackle co-morbidities



Mental disorders and mental health: Cycle of Wellbeing

